



# KLODEN

TEATER

VENUE & TECHNICAL INFO

Stage address:	Kabelgata 31 0581 Oslo
Administration address:	Kabelgata 39c 0581 Oslo
Contact, Technical Manager:	Anders Borchgrevink anders@kloden.no +47 93 61 80 98
Contact, Production Manager:	Mari Haugen mari@kloden.no +47 91 51 56 37
Venue type:	Blackbox, with 4 row amfi
Capacity:	120 pers. in the room / 70 seats in amfi
Load-in:	Street level easy entrance. 5 meters from door to stage. No stairs.
Parking:	By appointment due to limited availability
Stage:	width and depth; 11 x 9,5 meters Black walls and fabric Black wooden floor
Rig:	Motorized square truss (w&d) 10 x 8 meter Max height 5,7 meters Fabric on permanent separate bars (See drawings for further information)

Power:	3 x 16a 1 phase (located upstage left) *2 x 32a 230V 3 phase (*in use for PDU in rig + hoists)
Storage:	Limited
Fire alarm:	The stage has connected fire alarms. Can be disabled in order to use haze and smoke effects. To be agreed with technical manager.
Access:	Unloc key app. Contact production manager for access.
Dressing rooms/backstage:	2 rooms Sink Fridge Seperate room with shower
Kitchen:	Small kitchen with coffee maker and dish washer. Used as bar / cafe during shows. Located in the entrance area
Accessibility:	Good. Easy access, no stairs.
Internet/wifi:	Username: Norsk Scenekunst Gjest Password: VelkommentilScenekunst
Public transportation:	Subway number 4 or 5 to Økern or Risløkka Bus number 23 or 24 to Ulven torg Bus number 28, 345, 60 og 67 to Økern Bus number 58 to Knud Bryns vei
Accommodation:	Quality Hotel 33 (nearest hotel) Radisson RED Quality Hotel Hasle Linie
Tickets:	<a href="https://kloden.ticketco.events/no/en">https://kloden.ticketco.events/no/en</a>

▼ TECH.SPEC.	
TECH.SPEC.KLODEN TEATER - PILOTSCENEN 2026	
Count	Equipment
▼ LIGHT	
<b>Controllers</b>	
1	Grand MA3 Command wing
1	PC (GrandMA3)
1	Touchscreen (PC skjerm)
1	Keyboard
1	Grand MA2 Ultra Lite Compact (1 flight)
<b>Lights</b>	
4	Elation KL Fresnel 8 FC
6	BT-Theatre 100EC 2ch
8	BT-Theatre 250EZ 4ch
8	Prolights ECLIPSEFS Zoomprofil 20-50 13ch
4	Prolights STARK 400 Wash Mode 16 ch
12	Martin Mac Aura XB i flightcase
8	Prolights VESAPAR RGBWA m ZOOM 10 ch
8	LumiPar12HPro
6	Bright XBABY TW Mk2
<b>Misc</b>	
1	Case of DMX
6	Gobo-holders for Prolights ECLIPSEFS
3	Iris for Prolights ECLIPSEFS
▼ AUDIO	
<b>Mixers</b>	
1	Yamaha TF1 Dig.mix.16in 16out (32+2)
1	Allen&heath SQ-5 dig.mix. 16in 12out
1	Allen&heath DX168 Audiorack
1	50m Cat5e cable on barrel for Audiorack
1	Allen&heath SQ of AHM Dante audio 64/64
<b>PA</b>	
2	Yamaha DZR 10" tops
2	Yamaha DXS 12" tops
2	Yamaha DXS 18" subs
2	DAD Touring 12AG2 aktiv høyttaler (monitor/fill)
<b>Mics and misc</b>	
2	JTS UF-20R 2-ch. Wireless system (6 ch. in total)
4	JTS CM-214 (?) Omni headset mic
2	JTS JSS-20 Wireless handheld mic
1	Wireless handheld mic (sender) + receiver JTS
6	SM58 microphones
1	(Stereopair) RØDE M5 condensator mic
2	ARX Pro DI boks
1	Multicabled 12 in 4out stagebox
1	Case of XLR cables
6	Microphone stands
2	Microphone stand (short)
2	Speakerstands (for Yamaha DZR10)

▼ TECH.SPEC.	
TECH.SPEC.KLODEN TEATER - PILOTSCENEN 2026	
Count	Equipment
▼ A/V	
<b>Projectors</b>	
1	Epson EB-L400Us (i case)w/mounthook for pipes
1	Epson EB-L1755U projector (2018-modell)
1	ELPLU04 Short throw lens
<b>Screen</b>	
1	Frame-screen Stumpfi 508 x 294
▼ Scene	
6	Nivtec (2x1m) stagedecks on Trolley
24	20 cm legs
24	40 cm legs
10	Sandbags (weights 8-10Kg)
10	Studio Dance mats - Harlequin Duo B/W (2 x 10m)
▼ Rig/trusses/pipes	
Main rig: HQ30 black squared truss rig with 4x LX, depth 8m x width 10m, on 4x motorized chainmaster hoists ELL: Payload 435 Kg / concentrated load dir. under hoist 100 kg / Uniformly distributed load 60kg/m.	
1	ELL: Payload 435 Kg / concentrated load dir. under hoist 100 kg / Uniformly distributed load 60kg/m.
20	Couplers
5	Pipe (50Ø) - 600cm
2	Pipe (50Ø) - 350cm
1	Pipe (50Ø)- 200cm
10	Pipe (50Ø)- 160cm
8	Pipe (50Ø)- 150cm
4	90 degree Kee-klamp
6	T-clamp Kee-klamp
10	Wooden baseplate for pipes and kee-klamps
16	Reutlinger Type 50 wire rope holder with an eyelet
4	Reutlinger type 50 SVII with half coupler doughy T58081
2	Halfcoupler with eye hook
15	4mm wire for reutlinger (300cm)
5	4mm wire for reutlinger (100cm)
▼ Skinner teppeoppeng	
<b>SKINNER/TEPPEOPPHENG</b>	
15	Stage curtain rails (in meters)
11,5	Stage curtain rails w/clampfester (in meters)
5	Flexrail (500mm)
1	Flexrail (250mm)
1	Flexrail (sving , 90 grader)
100	Flexrail 2 hjul trinse
10	Molton carpet , B1 300, EN 13773-C1, (h433 x b500)
2	Molton carpet, (?), (h650 x b1450)
2	Molton carpet, (?), (h650 x b1150)
▼ Motorer	
<b>MOTORER</b>	
4	Main rig hoist (ELL: payload for the whole rig is 435 Kg)
2	Back rig FS x 2 motorer (NB! Only used for stage carpetk + and screen)
▼ Stige/verktøy	
<b>STIGE/VERKTØY</b>	
1	A-ladder
1	Tool wagon



